



Ancor

PAD RETAINERS


Flats hold with wrench



**Flats hold with
Locking Pin**




**Holds with lock washer
or nyloc screw**



AVAILABLE IN:
***Reversed Style, Locking Style,
and Counterbored Style.***

- *Increase safety and strength to your pad retention.*
- *Eliminate stripper bolts*
- *Quick and easy pad removal*
 - *Well stocked*
 - *Custom sizes available*






Reverse Style Pad Retainers

PR Series

0.75" DIAMETER 3/8-16 TAP


ITEM NUMBER	LENGTH
PRO-04	1.00
PRO-05	1.25
PRO-06	1.50
PRO-07	1.75
PRO-08	2.00
PRO-09	2.25
PRO-10	2.50
PRO-11	2.75
PRO-12	3.00
PRO-13	3.25
PRO-14	3.50
PRO-15	3.75
PRO-16	4.00
PRO-18	4.50
PRO-20	5.00
PRO-22	5.50
PRO-24	6.00



PR Series

0.8125" DIAMETER 5/16-18 TAP


ITEM NUMBER	LENGTH
PROX-04	1.00
PROX-05	1.25
PROX-06	1.50
PROX-07	1.75
PROX-08	2.00
PROX-09	2.25
PROX-10	2.50
PROX-11	2.75
PROX-12	3.00
PROX-13	3.25
PROX-14	3.50
PROX-15	3.75
PROX-16	4.00
PROX-18	4.50
PROX-20	5.00
PROX-22	5.50
PROX-24	6.00



PR Series

1.00" DIAMETER 1/2-13 TAP


ITEM NUMBER	LENGTH
PR1-04	1.00
PR1-05	1.25
PR1-06	1.50
PR1-07	1.75
PR1-08	2.00
PR1-09	2.25
PR1-10	2.50
PR1-11	2.75
PR1-12	3.00
PR1-13	3.25
PR1-14	3.50
PR1-15	3.75
PR1-16	4.00
PR1-18	4.50
PR1-20	5.00
PR1-22	5.50
PR1-24	6.00



PR Series

1.25" DIAMETER 5/8-11 TAP


ITEM NUMBER	LENGTH
PR2-08	2.00
PR2-09	2.25
PR2-10	2.50
PR2-11	2.75
PR2-12	3.00
PR2-13	3.25
PR2-14	3.50
PR2-15	3.75
PR2-16	4.00
PR2-18	4.50
PR2-20	5.00
PR2-22	5.50
PR2-24	6.00



PR Series

1.50" DIAMETER 3/4-10 TAP


ITEM NUMBER	LENGTH
PR3-08	2.00
PR3-09	2.25
PR3-10	2.50
PR3-11	2.75
PR3-12	3.00
PR3-13	3.25
PR3-14	3.50
PR3-15	3.75
PR3-16	4.00
PR3-18	4.50
PR3-20	5.00
PR3-22	5.50
PR3-24	6.00



PT Series


0.75" DIAMETER 5/16-18 TAP

ITEM NUMBER	LENGTH
PT0710	1.00
PT0711	1.25
PT0712	1.50
PT0713	1.75
PT0720	2.00
PT0721	2.25
PT0722	2.50
PT0723	2.75
PT0730	3.00
PT0731	3.25
PT0732	3.50
PT0733	3.75
PT0740	4.00
PT0742	4.50
PT0750	5.00
PT0752	5.50
PT0760	6.00




PT Series**1.00" DIAMETER
3/8-16 TAP**


ITEM NUMBER	LENGTH
PT1010	1.00
PT1011	1.25
PT1012	1.50
PT1013	1.75
PT1020	2.00
PT1021	2.25
PT1022	2.50
PT1023	2.75
PT1030	3.00
PT1031	3.25
PT1032	3.50
PT1033	3.75
PT1040	4.00
PT1042	4.50
PT1050	5.00
PT1052	5.50
PT1060	6.00

**PT Series****1.25" DIAMETER
1/2-13 TAP**


ITEM NUMBER	LENGTH
PT1111	1.25
PT1112	1.50
PT1113	1.75
PT1120	2.00
PT1121	2.25
PT1122	2.50
PT1123	2.75
PT1130	3.00
PT1131	3.25
PT1132	3.50
PT1133	3.75
PT1140	4.00
PT1142	4.50
PT1150	5.00
PT1152	5.50
PT1160	6.00

**PT Series****1.50" DIAMETER
5/8-11 TAP**


ITEM NUMBER	LENGTH
PT1212	1.50
PT1213	1.75
PT1220	2.00
PT1221	2.25
PT1222	2.50
PT1223	2.75
PT1230	3.00
PT1231	3.25
PT1232	3.50
PT1233	3.75
PT1240	4.00
PT1242	4.50
PT1250	5.00
PT1252	5.50
PT1260	6.00

**Locking Style Pad Retainers****PLF Series****0.8125" DIAMETER
WITH FLATS
5/16-18 SHCS**


ITEM NUMBER	LENGTH
PLF60810	1.00
PLF60811	1.25
PLF60812	1.50
PLF60813	1.75
PLF60820	2.00
PLF60821	2.25
PLF60822	2.50
PLF60823	2.75
PLF60830	3.00
PLF60831	3.25
PLF60832	3.50

**PLF Series****1.00" DIAMETER
WITH FLATS
3/8-16 SHCS**

ITEM NUMBER	LENGTH
PLF61010	1.00
PLF61011	1.25
PLF61012	1.50
PLF61020	2.00
PLF61021	2.25
PLF61022	2.50
PLF61013	2.75
PLF61030	3.00
PLF61031	3.25
PLF61032	3.50
PLF61033	3.75
PLF61040	4.00
PLF61042	4.50
PLF61050	5.00
PLF61052	5.50
PLF61060	6.00

**PLF Series****1.25" DIAMETER
WITH FLATS
1/2-13 SHCS**

ITEM NUMBER	LENGTH
PLF61110	1.00
PLF61111	1.25
PLF61112	1.50
PLF61113	1.75
PLF61120	2.00
PLF61121	2.25
PLF61122	2.50
PLF61123	2.75
PLF61130	3.00
PLF61131	3.25
PLF61132	3.50
PLF61133	3.75
PLF61140	4.00
PLF61142	4.50
PLF61150	5.00
PLF61152	5.50
PLF61160	6.00






Locking Style Pad Retainers

PLF Series

1.50" DIAMETER WITH FLATS 5/8-11 SHCS


ITEM NUMBER	LENGTH
PLF61211	1.25
PLF61212	1.50
PLF61213	1.75
PLF61220	2.00
PLF61221	2.25
PLF61222	2.50
PLF61223	2.75
PLF61230	3.00
PLF61231	3.25
PLF61232	3.50
PLF61233	3.75
PLF61240	4.00
PLF61242	4.50
PLF61250	5.00
PLF61252	5.50
PLF61260	6.00



PLF Series

1.62" DIAMETER WITH FLATS 3/4-10 SHCS


ITEM NUMBER	LENGTH
PLF61312	1.50
PLF61313	1.75
PLF61320	2.00
PLF61321	2.25
PLF61322	2.50
PLF61323	2.75
PLF61330	3.00
PLF61331	3.25
PLF61332	3.50
PLF61333	3.75
PLF61340	4.00
PLF61342	4.50
PLF61350	5.00
PLF61352	5.50
PLF61360	6.00



PL Series

0.8125" DIAMETER WITH KNURL 5/16-18 SHCS


ITEM NUMBER	LENGTH
PL60810	1.00
PL60811	1.25
PL60812	1.50
PL60813	1.75
PL60820	2.00
PL60821	2.25
PL60822	2.50
PL60823	2.75
PL60830	3.00
PL60831	3.25
PL60832	3.50



PL Series

1.00" DIAMETER WITH KNURL 3/8-16 SHCS


ITEM NUMBER	LENGTH
PL61010	1.00
PL61011	1.25
PL61012	1.50
PL61013	1.75
PL61020	2.00
PL61021	2.25
PL61022	2.50
PL61023	2.75
PL61030	3.00
PL61031	3.25
PL61032	3.50
PL61033	3.75
PL61040	4.00
PL61042	4.50
PL61050	5.00
PL61052	5.50
PL61060	6.00



PL Series

1.25" DIAMETER WITH KNURL 1/2-13 SHCS


ITEM NUMBER	LENGTH
PL61110	1.00
PL61111	1.25
PL61112	1.50
PL61113	1.75
PL61120	2.00
PL61121	2.25
PL61122	2.50
PL61123	2.75
PL61130	3.00
PL61131	3.25
PL61132	3.50
PL61133	3.75
PL61140	4.00
PL61142	4.50
PL61150	5.00
PL61152	5.50
PL61160	6.00



PL Series

1.50" DIAMETER WITH KNURL 5/8-11 SHCS

ITEM NUMBER	LENGTH
PL61211	1.25
PL61212	1.50
PL61213	1.75
PL61220	2.00
PL61221	2.25
PL61222	2.50
PL61223	2.75
PL61230	3.00
PL61231	3.25
PL61232	3.50
PL61233	3.75
PL61240	4.00
PL61242	4.50
PL61250	5.00
PL61252	5.50
PL61260	6.00






Metric Pad Retainers

Reversed Style Spool

20mm DIAMETER M8 TAP


ITEM NUMBER	LENGTH
MPT02040	40
MPT02045	45
MPT02050	50
MPT02055	55
MPT02060	60
MPT02065	65
MPT02070	70
MPT02080	80
MPT02090	90
MPT20100	100
MPT20110	110
MPT20120	120
MPT20130	130
MPT20140	140
MPT20150	150



Reversed Style Spool

25mm DIAMETER M10 TAP


ITEM NUMBER	LENGTH
MPT02540	40
MPT02545	45
MPT02550	50
MPT02555	55
MPT02560	60
MPT02565	65
MPT02570	70
MPT02580	80
MPT02590	90
MPT25100	100
MPT25110	110
MPT25120	120
MPT25130	130
MPT25140	140
MPT25150	150



Reversed Style Spool

32mm DIAMETER M12 TAP


ITEM NUMBER	LENGTH
MPT03240	40
MPT03245	45
MPT03250	50
MPT03255	55
MPT03260	60
MPT03265	65
MPT03270	70
MPT03280	80
MPT03290	90
MPT32100	100
MPT32110	110
MPT32120	120
MPT32130	130
MPT32140	140
MPT32150	150



Locking Style Spool

25mm DIAMETER 5/16-18 TAP


ITEM NUMBER	LENGTH
MPL02540	40
MPL02545	45
MPL02550	50
MPL02555	55
MPL02560	60
MPL02565	65
MPL02570	70
MPL02580	80
MPL02590	90
MPL25100	100
MPL25110	110
MPL25120	120
MPL25130	130
MPL25140	140
MPL25150	150



Locking Style Spool

32mm DIAMETER 5/16-18 TAP

ITEM NUMBER	LENGTH
MPL03240	40
MPL03245	45
MPL03250	50
MPL03555	55
MPL03260	60
MPL03265	65
MPL03270	70
MPL03580	80
MPL03290	90
MPL32100	100
MPL32110	110
MPL32120	120
MPL32130	130
MPL32140	140
MPL32150	150



• Amcor Pad Retainers are made from **12L14CRS**.

• File hardened to a case depth of **.005/.010**.

• Tensile strength is greater than **70,000 PSI**, but less than **85,000**.

• Rockwell rating is **C-60** or better.

• Tolerances
Length: $\pm .005$
Diameter: $\begin{matrix} +.000 \\ -.002 \end{matrix}$




Counterbored Pad Retainers

PC Series

0.75" DIAMETER 5/16" SCREW SIZE


ITEM NUMBER	LENGTH	COUNTERBORED DEPTH
PC1000	1.00	.50
PC1250	1.25	.50
PC1500	1.50	.50
PC1750	1.75	.50
PC2000	2.00	.50
PC2250	2.25	.50
PC2500	2.50	.50
PC2750	2.75	.50
PC3000	3.00	.50
PC3250	3.25	.50
PC3500	3.50	.75
PC3750	3.75	1.00
PC4000	4.00	1.25
PC4500	4.50	1.75
PC5000	5.00	2.25
PC5500	5.50	2.25
PC6000	6.00	2.50



PRC Series

1.00" DIAMETER 3/8" SCREW SIZE


ITEM NUMBER	LENGTH	COUNTERBORED DEPTH
PRC1000	1.00	.50
PRC1250	1.25	.50
PRC1500	1.50	.50
PRC1750	1.75	.50
PRC2000	2.00	.50
PRC2250	2.25	.50
PRC2500	2.50	.50
PRC2750	2.75	.50
PRC3000	3.00	.50
PRC3250	3.25	.50
PRC3500	3.50	.75
PRC3750	3.75	1.00
PRC4000	4.00	1.25
PRC4500	4.50	1.75
PRC5000	5.00	2.25
PRC5500	5.50	2.25
PRC6000	6.00	2.50



XPC Series

1.25" DIAMETER 1/2" SCREW SIZE

ITEM NUMBER	LENGTH	COUNTERBORED DEPTH
XPC1500	1.50	.625
XPC1750	1.75	.625
XPC2000	2.00	.625
XPC2250	2.25	.625
XPC2500	2.50	.625
XPC2750	2.75	.625
XPC3000	3.00	.625
XPC3250	3.25	.625
XPC3500	3.50	.75
XPC3750	3.75	1.00
XPC4000	4.00	1.25
XPC4500	4.50	1.75
XPC5000	5.00	2.25
XPC5500	5.50	2.25
XPC6000	6.00	2.50



DISTRIBUTED BY:



Applied Mechanics Corporation
14200 Ironwood Drive N.W.
Grand Rapids, MI 49544
Toll Free: 800-572-0141
Toll Free Fax: 866-677-5969
Internet: www.amcortooling.com
E-mail: amcor@iserv.net